

	L #	Hits	Search Text	DBs
1	L1	4689	(361/749-751,760,767,768,771,780,782-784,803).ccls.	US-PGPU B; USPA T
2	L2	3957	(343/700MS,872,873).ccls.	US-PGPU B; USPA T
3	L3	882	(257/664,728).ccls.	US-PGPU B; USPA T
4	L4	9482	1 2 3	US-PGPU B; USPA T
5	L5	336	4 and @pd>="20041201"	US-PGPU B; USPA T
6	L6	204	5 and (antenna\$1 aerial\$1)	US-PGPU B; USPA T
7	L7	67	6 and (semiconductor die chip\$1 ic (integrated adj circuit\$1))	US-PGPU B; USPA T

	L #	Hits	Search Text	DBs
8	L8	44	7 and (impedance\$1 amplifier\$1 Ina duplex\$2)	US- PGPU B; USPA T
9	L9	23	7 not 8	US- PGPU B; USPA T
10	L10	2582	343/702.ccls.	US- PGPU B; USPA T
11	L11	558	10 and (semiconductor die chip\$1 ic (integrated adj circuit\$1))	US- PGPU B; USPA T
12	L12	7	10 and micro\$1electronic	US- PGPU B; USPA T
13	L13	3	6 and micro\$1electronic	US- PGPU B; USPA T
14	L14	564	11 12 13	US- PGPU B; USPA T

	L #	Hits	Search Text	DBs
15	L15	10	12 13	US- PGPU B; USPA T
16	L16	554	14 not 15	US- PGPU B; USPA T
17	L17	353	16 and (impedance\$1 amplifier\$1 Ina duplex\$2)	US- PGPU B; USPA T
18	L18	95	17 and flex\$4	US- PGPU B; USPA T
19	L19	258	17 not 18	US- PGPU B; USPA T